

46043-11

8/19/2014

1/8



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

Ms. Kathy Kollen, EPA Regulatory Manager
Suncoast Chemicals Company
14480 62nd Street, North
Clearwater, FL 33760

AUG 19 2014

Subject: FQPA 332: Minor Label Changes per PR Notice 98-10
Suncoast Stabilized Granular Chlorinator
EPA Registration Number: **46043-11**
Application Date: July 8, 2014
Application Receipt: July 14, 2014

Dear Ms. Kollen:

This acknowledges receipt of your Notification application, submitted under the provisions of FIFRA 3(c) 9 and PR Notice 98-10.

Purpose of the Notification:

Added the option "[appropriate pool care products]" in the Directions in place of a Brand Name.

Added several additional brackets to clearly mark that which may be inserted or deleted, including 'Manufactured by/Distributed By' section.

Re-added the word "medical" in Hotline Number section. This had been deleted in error from a previous Product Label.

Added one marketing claim, "For Vinyl and Concrete Pools."

General Comments:

Based on the review of the information submitted, the following comments apply. The Notification is **Acceptable**. A copy of the accepted Notification is attached in **Regulatory File Jacket 46043-11** for future reference.

2/8

-2-

If you have questions or concerns with regard to this Agency Letter, please contact Killian Swift by email at Swift.Killian@epa.gov and by telephone at **703-308-6346**. When you are submitting information or data in response to this Agency Letter, please send a copy of this Agency Letter with your response in order to facilitate processing.

Sincerely yours,



Demson Fuller
EPA Product Manager 32
Regulatory Management Branch II
Antimicrobials Division 7510P



United States
Environmental Protection Agency
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number Suncoast Chemicals Company / 46043-11	2. EPA Product Manager Demson Fuller, Acting Team Ldr	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Suncoast Chemicals Co. / Suncoast Stabilized Granular Chl	PM# 32	
5. Name and Address of Applicant (Include ZIP Code) Suncoast Chemicals Company 14480 62nd Street North, Clearwater, FL 33760 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of option in directions to use "appropriate pool care products" in place of brand names; clarified Manufactured By/ Distributed By section with brackets; re-added "medical" in Hotline Number section, which had been deleted in error from a previously approved label; one additional marketing claim.

Section - III

1. Material This Product Will Be Packaged In: This INFO applies only to NON-RESIDENTIAL			
Child-Resistant Packaging <input checked="" type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	2. Type of Container <input checked="" type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt No. per container
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container	4. Size(s) Retail Container 4 lb - 100 lbs	5. Location of Label Directions <input checked="" type="checkbox"/> On Label cccc <input type="checkbox"/> On Labeling accompanying product cccc	
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled		<input type="checkbox"/> Other ccc c	

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Kathy Kollen	Title EPA Regulatory Manager	Telephone No. (Include Area Code) 727-531-8913
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title EPA Regulatory Manager	
4. Typed Name Kathy Kollen	5. Date	

Broadcast 3 oz. of this product per 10,000 gallons pool water every other day or as often as needed to maintain chlorine residual at 2-4 ppm. This quantity may vary depending on bather load, temperature and other conditions. Re-entry into treated pools is prohibited above levels of 3 ppm chlorine. As a preventative treatment, you should shock treat weekly to prevent pool problems which may occur when bathing loads are high, water appears hazy or dull, unpleasant odors or eye irritation occur, after heavy wind and rain storms, when temperatures are high, in case of colored water, or if algae develops with resulting green color and slimy feeling.]

[SHOCK TREATMENT: Adjust pH to 7.2 to 7.4 with [appropriate pool care products] [Suncoast pH Plus or Suncoast pH Minus] [insert brand names]]. Follow label directions.

For Start-Up or Initial Shocking: With pump running and pool not in use, broadcast 1 pound of this product per 10,000 gallons of water directly into the deep end of the pool. To prevent possible damage to pool surface, use a pool brush to disperse any granules that may have settled at the bottom of the pool. Repeat procedure after 24 hours if needed, to establish a chlorine residual of 2-4 ppm as determined by a test kit.

For Routine Shocking: Every two weeks with pump running and pool not in use, broadcast 1 pound of this product per 10,000 gallons of water directly into the deep end of the pool. To prevent possible damage to pool surface use a pool brush to disperse any granules that may have settled at the bottom of the pool.

Re-entry into treated pools is prohibited above levels of 3 ppm chlorine.]

[ALGAE CONTROL: If the sides or bottom develop algae spots, follow shock treatment directions above. Immediately after treatment, thoroughly clean pool by scrubbing surfaces of algae growth, vacuum and cycle through filter. If necessary, repeat the treatment. Reentry into treated pool is prohibited above levels of 3 ppm chlorine.]

[OPENING YOUR POOL: Adjust pH to 7.2 to 7.6 with [Suncoast pH Plus] or [Suncoast pH Minus] [insert brand names]. Follow label directions. Shock treat following directions above. The next day, stabilize your pool. Follow label directions. As an alternative, three shock treatment dosages with this product will raise your stabilizer level by approximately 20 ppm, which is the normal starting level of stabilizer.]

[WINTERIZING: While the water is still clear and clean, prepare for long periods of disuse by gradually adding 36 ounces of this product per 10,000 gallons of water (to provide a dosage of 15 ppm free available chlorine). Follow Method of Application above. Run pump and filter until completely dispersed. Cover the pool with a plastic pool cover and prepare the heater, pump and filter components for winterizing by following manufacturer's directions.]

[WATER BALANCE: To provide optimum product performance, swimmer comfort and crystal clear water, always maintain pH in the 7.2-7.8 range, total alkalinity in the 90-125 parts per million (ppm) range and calcium hardness above 200 ppm. Use a reliable test kit that measures all these ranges. Make necessary adjustments with the appropriate [Suncoast] pool care products.]

[SPA AND HOT TUB USE: Each level teaspoon (0.17 ounces) of this product will provide approximately 1.4 ppm available chlorine in 500 gallons of water. Using an appropriate test kit, test and adjust the water to the following values: pH 7.2-7.8, total alkalinity 60-100 ppm, calcium hardness 200 ppm minimum. Maintain these conditions for proper spa and hot tub operation by frequent testing with a test kit. Do not allow cyanuric acid level to exceed 150 ppm. It is recommended that spas and hot tubs be drained every 30-90 days. More often under heavy use. Consult manufacturer's recommendations concerning the compatibility of chlorine sanitizers with their equipment. Some oils, lotions, fragrances and cleaners may cause foaming or cloudy water and may react with chlorine sanitizers to reduce their efficacy.

START-UP (FRESHLY FILLED)

1. Turn on the circulation system and ensure that it is working properly.
2. Add 6 teaspoons of this product for each 500 gallons of water.

Check the free available chlorine (FAC) and, if below 4-5 ppm, repeat as needed. Re-entry into treated spas is prohibited above levels of 3 ppm of chlorine.

REGULAR USE: Turn on the circulation system and ensure that it is operating properly. Scatter approximately 3 teaspoons per 500 gallons of this product over the surface of water. Always use a clean dry spoon. Test for FAC and add additional product, if necessary, to attain 4-5 ppm FAC. Maintain 1-3 ppm FAC while the spa or hot tub is in use. After each use, shock treat with 9 teaspoons per 500 gallons water to control odors and algae. Repeat as needed. Reentry into treated spas is prohibited above levels of 3 ppm of chlorine.]

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive. Causes irreversible eye damage. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin, or on clothing. Do not breathe dust, vapor or spray mist. Wear goggles, face shield or safety glasses. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

CHEMICAL HAZARDS:

DANGER: Strong oxidizing agent. Use only clean, dry utensils. Mix only with water. Contamination with moisture, dirt, organic matter, or other chemicals (including other pool chemicals), or any other foreign matter may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. Avoid any contact with flaming or burning material, such as a lighted cigarette. Do not use this product in any chlorinating device which has been used with any inorganic or unstabilized-chlorinating-compounds (e.g. calcium-hypochlorite).—Such use may cause fire or explosion.

ENVIRONMENTAL HAZARD

{For 50 pounds and less:} [This pesticide is toxic to fish and aquatic organisms.]

{For larger than 50 pounds:} [This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of EPA.]

STORAGE AND DISPOSAL:

STORAGE: Keep product dry in a tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from heat or open flames. Do not reuse or refill empty container.

DISPOSAL: If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling, if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP (800-253-2687) for disposal instructions. Never place unused product down any indoor or outdoor drain.

EMERGENCY HANDLING: In case of contamination or decomposition do not reseal container. If possible, isolate container in open and well-ventilated area. Flood with large volumes of water. Dispose of contaminated material in an approved landfill area.

[To determine your pool's capacity in U.S. gallons, use the appropriate formula below: Use measurements in feet only.

RECTANGULAR: Length X Width X Average Depth X 7.5 = TOTAL GALLONS

ROUND: Diameter X Diameter X Average Depth X 5.9 = TOTAL GALLONS

OVAL: Maximum Length X Maximum Width X Average Depth X 5.9 = TOTAL GALLONS

FREEFORM: Surface area (sq. ft.) X Average Depth X 7.5 = TOTAL GALLONS]

{Marketing Claims}

- [Protects against odor]
- [Controls bacteria and algae]
- [Fast dissolving]
- [Sanitizer]
- [Sanitizes pool water]
- [Stabilized Chlorinator]
- [Stabilizer]
- [Controls algae]
- [Kills bacteria and destroys organic contaminants]
- [Kills algae]
- [For all pool types]

- [For use in vinyl-lined pools]
- [For use in vinyl-lined and fiberglass pools]
- [For use in vinyl-lined, colored plaster and fiberglass pools]
- [Eliminates swimmer contaminants]
- Eliminates bacteria and organic contaminants]
- [No Pre-Mixing Required]
- [Non-Clouding]
- [Quick-dissolving]
- [Quick-dissolving stabilized chlorinating granules]
- [Dissolves quickly]
- [UV protected against the sun's harmful rays]
- [UV protected for extended chlorine life]


- [pH Neutral]
- [Dissolves quickly with no residue]
- [Maintains crystal clarity in pool water]
- [For Swimming Pools]
- [For Swimming Pools and Spas]
- [For Vinyl and Concrete Pools]

{Marketing claims for shock treatment}

- [Shock treatment for swimming pools]
- [Swimming pool chlorinating shock]
- [Superchlorinator and shock treatment for swimming pools]

{Marketing Claims For Spas Only}

- [Maintains crystal clarity in spa and hot tub water]
- [Sanitizes and disinfects spa water]
- [Dissolves quickly with no residue]
- [Sanitizer for Spas]
- [For Spas and Hot Tubs]
- [For Spas]
- [For Hot Tubs]



EPA Reg. No. 46043-11
EPA Est. No. 46043-FL-1

[IN CASE OF EMERGENCY CALL {insert tel. number}]

[Manufactured By] [Manufactured For] [Distributed By] [Sold By]:
SUNCOAST CHEMICALS COMPANY
 14480 62nd Street N.
 Clearwater, FL 33760]